



TECHNOLOGY
PIONEER
IN CLEAN ENERGY



BLUETTI Premium 30 V2

Portable Power Station

Premium Series

Carry Less, Power More.

320Wh | 600W

REVOLUSUN.

Carry Less, Power More.

A compact and portable energy solution yet packs a serious punch—ideal for beginners looking instant access to mobile power on the move.

Featuring multiple advanced technologies, the Premium 30 V2 blends high performance with exceptional portability. It's user-friendly for green hands, perfect for weekend fun, picnics, camping, or excursions. Fashion meets function—wherever you go, power follows in style!

**1,500W**
Lifting Power

**200W**
Solar Input

**980W Max.**
Bypass

**4.3kg/ 9.48lbs**
Ultra- Lightweight

**≤10ms**
UPS Switching Time

**Multiple Charging**
Ways (7 Ways)

**30dB Whisper-Quiet**
(200W Loads)

**Safest**
LiFePO₄ Battery

**4.6kg | 268Wh**



11% Smaller

20% More Power

**Premium 30 V2**
4.3kg | 320Wh

Power in Hand, Wherever You Head

Weighing just **4.3 kg with a 320Wh** capacity, it's light enough for anyone—even kids—to lift and take anywhere.



600W "Everyday" Power, 1,500W Mighty Lifting Power

600W rated power is quite enough for running most small devices at once. Activate Power Lifting Mode to handle high-resistance devices like electric kettles and small ovens effortle.

Street Performing

Road Trips

Camping

Kitchen

**Drone (60Wh)**
4 Times

**Laptop (60Wh)**
5 Times

**Smartphone (15Wh)**
18 Times

**Electric Blanket (90W)**
2.8 Hours

**Car Fridge (120W)**
2.2 Hours

**Camping light (10W)**
27.4 Hours

**Hair Dryer (600W)**
0.4 Hours

**Microwave oven (800 W)**
20.3 Minutes

Instant 10ms UPS, Seamless Switchover

Switches within 10ms for worry-free outage protection. Supports 980W bypass for simultaneous charging and discharging when plugged into AC outlets.



Lower Self-Consumption, Longer Runtime

Thanks to our next-gen UltraCell™ technology and intelligent thermal management, the Premium 30 V2 cuts system power draw by 50%, dropping standby consumption to just 4.5W.

Premium 30 V2 Self-Consumption:

No Load **4.5W**

DC Standby **5W**

AC Standby **8W**

AC + DC Standby **9W**

Flexible to Charge, Freedom to Power



AC Outlets
50 Minutes to 80%



Solar Panels
2.2 Hrs to 100% (200W Max.)



Car Cigarette
Lighter



Charger1



Generator



AC+DC
Dual Charging



Lead-acid
Battery



B80P Battery Pack
(Power Bank Mode)

All-new PD 3.1 Fast Charging Superior Power Delivery

The Premium 30 V2 features a USB-C port with PD 3.1 protocol, delivering up to 140W output—enough to rapidly charge high-performance laptops like MacBook Pro.



10 Years of Reliable Performance

Equipped with advanced LiFePO4 battery cells, the Premium 30 V2 offers up to 3,000 charge cycles while ensuring safe and stable operation—even in harsh environm.

10
Year Lifespan

3,000+
Charge Cycles




Overview

Premium 30 V2



In the Box



Specifications

Battery Capacity	320Wh (20Ah)
Battery Type	LiFePO ₄
Weight	About 4.3kg/ 9.48lbs
Dimensions (L × W × H)	250 × 178 × 167.5mm (9.8 × 7 × 6.6in)
Charging Temperature	0°C to 40°C (32°F to 104°F)
Discharging Temperature	-20°C to 40°C (-4°F to 104°F)
Storage Temperature	-20°C to 40°C (-4°F to 104°F)
Operating Humidity	10% to 90%
AC Charging	380W Max., 80% in 45 mins, @ 25°C / 77°F
AC Input (with Bypass)	980W Max.
DC Input	200W Max., 12V-28V, 10A Max.
AC + DC Input	380W Max.
AC Output	600W in Total, 120V, 5A, 50Hz/60Hz

Uninterruptible Power Supply (UPS)

Switchover Time	≤10ms
-----------------	-------

DC Output

1 × Cigarette Lighter Port	12V/10A
2 × DC5521	12V/5A (per Port), 8A in Total
2 × USB-A	5V/3A (per Port), 15W Max.
1 × 100W USB-C	100W Max., 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
1 × 140W USB-C	140W Max., 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A
AC + DC Output	600W Max.
IP Rating	IP20

Note:

The cigarette lighter port and DC5521 ports are wired in parallel with a total maximum output of 10A.

